

What is claimed is:

Sub
pt
B1

1. An angle-bar arrangement for deflecting material webs in a rotary press comprising:
 - an angle-bar jacket having a plurality of air outlet openings;
 - closing elements for sealing off the air outlet openings, the closing elements being movable in the angle bar jacket, compressed air being fed into a hollow space of the angle-bar jacket delimited by the closing elements; and
 - actuators, the closing elements being guided in the angle-bar jacket via rails and being mutually independently movable by the actuators.
2. The angle-bar arrangement as recited in claim 1 further comprising driving spindles, the closing elements being movably accommodated on driving spindles.
3. The angle-bar arrangement as recited in claim 1 further comprising a compressed-air line for providing compressed air through one of the closing elements into the hollow space.
4. The angle-bar arrangement as recited in claim 1 wherein the closing elements are movable within the angle-bar jacket in response to a magnetic force.
5. The angle-bar arrangement as recited in claim 4 further comprising movable spindle heads with first magnet elements, the closing elements further including second magnet elements cooperating with the first magnet elements.
6. The angle-bar arrangement as recited in claim 1 further comprising a flat cover, the angle-bar jacket being sealingly closed by the flat cover.
7. The angle-bar arrangement as recited in claim 5 further comprising a flat cover, the angle-bar jacket being sealingly closed by the flat cover, wherein the spindle heads are capable of travel in a region of the flat cover facing away from the air outlet openings.

8. The angle-bar arrangement as recited in claim 4 further comprising a flat cover, the angle-bar jacket being sealingly closed by the flat cover, the magnetic force being effective through the flat cover.

9. The angle-bar arrangement as recited in claim 1 further comprising guide rails, the guide rails being located in a region of the angle-bar jacket facing away from the air outlet openings, the guide rails having projections extending and running in parallel to the angle-bar jacket.

10. The angle-bar arrangement as recited in claim 1 wherein the closing elements have an outer contour, the outer contour of the movable closing elements corresponding to an inner contour of the angle-bar jacket.

11. The angle-bar arrangement as recited in claim 6 wherein the actuators of the closing elements are located in a region of the flat cover facing away from the air outlet openings, and further comprising spindle heads having magnets being accommodated on the flat cover.

12. The angle-bar arrangement as recited in claim 1 wherein the closing elements are provided with an opening for a compressed-air line.

13. An angle-bar superstructure in a web-processing rotary press comprising the angle-bar arrangement as recited in claim 1.

14. A folder having an angle-bar superstructure with at least one angle-bar arrangement for deflecting material webs as recited in claim 1.

15. A method for adjusting an angle-bar arrangement for deflecting material webs in a rotary press, the angle-bar arrangement having an angle-bar jacket having a plurality of air outlet openings and closing elements for sealing off the air outlet openings, compressed air being fed into a hollow space of the angle-bar jacket delimited by the closing elements, the method comprising the steps of:

moving one of the closing elements in the angle-bar jacket via an actuator in a tracked motion; and

moving independently another of the closing elements in the angle-bar jacket via another actuator in a tracked motion.

add
B1

11-22-2020